ROYAL
Brass Products
Exquisite Craftsmanship

BRASS COMPRESSION
Pipe Fittings

Reliable Connections
For a Smarter Tommorrow



Precision in
Every Turn


ROYAL
Brass Products
Exquisite Craftsmanship

BRASS COMPRESSION & PIPE FITTINGS
World-Class Brass Components

Brass Compression

Pipe Fittings

Royal Brass Products offers high-quality brass compression and threaded pipe fittings, including tees, elbows, unions, connectors, reducers, nipples and bushes for industrial, plumbing and fluid-handling applications.



Markets

- Plumbing and Water Systems
- Industrial Equipment
- Factory and Process Automation
- Pneumatic Systems
- General Fluid Handling

Applications

- Water and utility lines
- Compressed-air lines
- Compatible industrial fluid systems
- Plumbing installations
- Machinery and equipment connections

Features and Benefits

- Brass construction in specified material grades
- Multiple tube-to-thread and pipe-to-pipe configurations
- Available in selected inch and metric tube sizes
- Male and female threaded connection options
- Selected BSP-family and NPT thread configurations, as specified
- Forged or bar-stock construction, where

Thread & Connection Options

- BSPP (G) — Parallel pipe threads, ISO 228-1
- BSPT (R) — Tapered male pipe threads, ISO 7-1
- Rc / Rp — Applicable female pipe thread configurations
- NPT — Tapered pipe threads, ASME B1.20.1
- Metric threads — Where specified for the product

Technical Note: Verify tube diameter, thread type, material grade, sealing method, and operating limits. Ensure compression fittings match compatible tube dimensions and connection specifications.

ROYAL
Brass Products
Exquisite Craftsmanship

BRASS COMPRESSION & PIPE FITTINGS

World-Class Brass Components

1 Olive Male Tee Tube OD



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 001	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 002	3/16"	As Applicable	On Request	Standard / Customized
RBP CP 003	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 003	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 004	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 005	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 006	5/8"	As Applicable	On Request	Standard / Customized
RBP CP 007	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 008	1"	As Applicable	On Request	Standard / Customized
RBP CP 009	4MM	As Applicable	On Request	Standard / Customized
RBP CP 010	5MM	As Applicable	On Request	Standard / Customized
RBP CP 011	6MM	As Applicable	On Request	Standard / Customized
RBP CP 012	8MM	As Applicable	On Request	Standard / Customized
RBP CP 013	10MM	As Applicable	On Request	Standard / Customized
RBP CP 014	12MM	As Applicable	On Request	Standard / Customized
RBP CP 015	15MM	As Applicable	On Request	Standard / Customized
RBP CP 016	16MM	As Applicable	On Request	Standard / Customized
RBP CP 017	20MM	As Applicable	On Request	Standard / Customized
RBP CP 018	25MM	As Applicable	On Request	Standard / Customized

2 Olive Male Tee Assembly



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 019	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 020	3/16"	As Applicable	On Request	Standard / Customized
RBP CP 021	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 022	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 023	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 024	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 025	5/8"	As Applicable	On Request	Standard / Customized
RBP CP 026	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 027	1"	As Applicable	On Request	Standard / Customized
RBP CP 028	4MM	As Applicable	On Request	Standard / Customized
RBP CP 029	5MM	As Applicable	On Request	Standard / Customized
RBP CP 030	6MM	As Applicable	On Request	Standard / Customized
RBP CP 031	8MM	As Applicable	On Request	Standard / Customized
RBP CP 032	10MM	As Applicable	On Request	Standard / Customized
RBP CP 034	12MM	As Applicable	On Request	Standard / Customized
RBP CP 035	15MM	As Applicable	On Request	Standard / Customized
RBP CP 036	16MM	As Applicable	On Request	Standard / Customized
RBP CP 037	20MM	As Applicable	On Request	Standard / Customized
RBP CP 038	25MM	As Applicable	On Request	Standard / Customized

ROYAL
Brass Products
Exquisite Craftsmanship

BRASS COMPRESSION & PIPE FITTINGS

World-Class Brass Components

Branch Male Tee 3

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 039	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 040	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 041	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 042	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 043	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 044	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 045	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 046	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 047	1/2"	As Applicable	On Request	Standard / Customized



Branch Male Tee 4

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 048	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 049	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 050	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 051	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 052	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 053	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 054	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 055	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 056	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 057	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 058	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 059	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 060	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 061	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 062	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 063	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 064	1"	As Applicable	On Request	Standard / Customized
RBP CP 065	1"	As Applicable	On Request	Standard / Customized



Union Female Tee 5

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 066	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 067	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 068	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 069	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 070	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 071	1"	As Applicable	On Request	Standard / Customized



6 Olive Male Elbow



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 072	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 073	3/16"	As Applicable	On Request	Standard / Customized
RBP CP 074	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 075	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 076	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 077	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 078	5/8"	As Applicable	On Request	Standard / Customized
RBP CP 079	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 080	1"	As Applicable	On Request	Standard / Customized
RBP CP 081	4MM	As Applicable	On Request	Standard / Customized
RBP CP 082	5MM	As Applicable	On Request	Standard / Customized
RBP CP 083	6MM	As Applicable	On Request	Standard / Customized
RBP CP 084	8MM	As Applicable	On Request	Standard / Customized
RBP CP 085	10MM	As Applicable	On Request	Standard / Customized
RBP CP 086	12MM	As Applicable	On Request	Standard / Customized
RBP CP 087	15MM	As Applicable	On Request	Standard / Customized
RBP CP 088	16MM	As Applicable	On Request	Standard / Customized
RBP CP 089	20MM	As Applicable	On Request	Standard / Customized
RBP CP 090	25MM	As Applicable	On Request	Standard / Customized

7 Olive Male Tee Assembly



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 091	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 092	3/16"	As Applicable	On Request	Standard / Customized
RBP CP 093	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 094	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 095	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 096	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 097	5/8"	As Applicable	On Request	Standard / Customized
RBP CP 098	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 099	1"	As Applicable	On Request	Standard / Customized
RBP CP 100	4MM	As Applicable	On Request	Standard / Customized
RBP CP 101	5MM	As Applicable	On Request	Standard / Customized
RBP CP 102	6MM	As Applicable	On Request	Standard / Customized
RBP CP 103	8MM	As Applicable	On Request	Standard / Customized
RBP CP 104	10MM	As Applicable	On Request	Standard / Customized
RBP CP 105	12MM	As Applicable	On Request	Standard / Customized
RBP CP 106	15MM	As Applicable	On Request	Standard / Customized
RBP CP 107	16MM	As Applicable	On Request	Standard / Customized
RBP CP 108	20MM	As Applicable	On Request	Standard / Customized
RBP CP 109	25MM	As Applicable	On Request	Standard / Customized

Union Female Elbow 8

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 110	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 111	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 112	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 113	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 114	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 115	1"	As Applicable	On Request	Standard / Customized



Female Four Way 9

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 116	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 117	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 118	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 119	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 120	3/4"	As Applicable	On Request	Standard / Customized



Male Four Way 10

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 121	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 122	3/16"	As Applicable	On Request	Standard / Customized
RBP CP 123	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 124	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 125	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 126	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 127	3/4"	As Applicable	On Request	Standard / Customized



Forging Plug 11

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 128	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 129	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 130	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 131	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 132	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 133	1"	As Applicable	On Request	Standard / Customized
RBP CP 134	1 1/4"	As Applicable	On Request	Standard / Customized



12 Reducing Male Elbow



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 135	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 136	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 137	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 138	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 139	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 140	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 141	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 142	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 143	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 144	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 145	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 146	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 147	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 148	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 149	3/4"	As Applicable	On Request	Standard / Customized

13 Connector Male Elbow



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 150	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 151	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 152	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 153	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 154	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 155	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 156	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 157	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 158	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 159	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 160	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 161	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 162	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 163	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 164	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 165	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 166	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 167	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 168	1"	As Applicable	On Request	Standard / Customized
RBP CP 169	1"	As Applicable	On Request	Standard / Customized
RBP CP 170	1"	As Applicable	On Request	Standard / Customized
RBP CP 171	4MM	As Applicable	On Request	Standard / Customized
RBP CP 172	10MM	As Applicable	On Request	Standard / Customized

Connector Male Elbow Assembly 14

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 173	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 174	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 175	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 176	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 177	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 178	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 179	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 180	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 181	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 182	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 183	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 184	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 185	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 186	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 187	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 188	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 189	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 190	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 191	1"	As Applicable	On Request	Standard / Customized
RBP CP 192	1"	As Applicable	On Request	Standard / Customized
RBP CP 193	1"	As Applicable	On Request	Standard / Customized
RBP CP 194	4MM	As Applicable	On Request	Standard / Customized
RBP CP 195	10MM	As Applicable	On Request	Standard / Customized



Olive Union Only 15

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 196	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 197	3/16"	As Applicable	On Request	Standard / Customized
RBP CP 198	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 199	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 200	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 201	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 202	5/8"	As Applicable	On Request	Standard / Customized
RBP CP 203	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 204	1"	As Applicable	On Request	Standard / Customized
RBP CP 205	4MM	As Applicable	On Request	Standard / Customized
RBP CP 206	5MM	As Applicable	On Request	Standard / Customized
RBP CP 207	6MM	As Applicable	On Request	Standard / Customized
RBP CP 208	8MM	As Applicable	On Request	Standard / Customized
RBP CP 209	10MM	As Applicable	On Request	Standard / Customized
RBP CP 210	12MM	As Applicable	On Request	Standard / Customized
RBP CP 211	15MM	As Applicable	On Request	Standard / Customized
RBP CP 212	16MM	As Applicable	On Request	Standard / Customized



16 Olive Union Assembly



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 213	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 214	3/16"	As Applicable	On Request	Standard / Customized
RBP CP 215	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 216	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 217	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 218	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 219	5/8"	As Applicable	On Request	Standard / Customized
RBP CP 220	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 221	1"	As Applicable	On Request	Standard / Customized
RBP CP 222	4MM	As Applicable	On Request	Standard / Customized
RBP CP 223	5MM	As Applicable	On Request	Standard / Customized
RBP CP 224	6MM	As Applicable	On Request	Standard / Customized
RBP CP 225	8MM	As Applicable	On Request	Standard / Customized
RBP CP 226	10MM	As Applicable	On Request	Standard / Customized
RBP CP 227	12MM	As Applicable	On Request	Standard / Customized
RBP CP 228	15MM	As Applicable	On Request	Standard / Customized
RBP CP 229	16MM	As Applicable	On Request	Standard / Customized

17 Reducing Union Only



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 230	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 231	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 232	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 233	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 234	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 235	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 236	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 237	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 238	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 239	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 240	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 241	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 242	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 243	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 244	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 245	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 246	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 247	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 248	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 249	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 250	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 251	5/8"	As Applicable	On Request	Standard / Customized

Bulk Head Union 18

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 252	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 253	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 254	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 255	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 256	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 257	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 258	5/16"	As Applicable	On Request	Standard / Customized



Olive Male Connector 19

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 259	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 260	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 261	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 262	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 263	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 264	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 265	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 266	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 267	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 268	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 269	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 270	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 271	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 272	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 273	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 274	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 275	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 276	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 277	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 278	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 279	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 280	5/8"	As Applicable	On Request	Standard / Customized
RBP CP 281	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 282	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 283	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 284	1"	As Applicable	On Request	Standard / Customized
RBP CP 285	1"	As Applicable	On Request	Standard / Customized
RBP CP 286	1"	As Applicable	On Request	Standard / Customized
RBP CP 287	4MM	As Applicable	On Request	Standard / Customized
RBP CP 288	8MM	As Applicable	On Request	Standard / Customized
RBP CP 289	8MM	As Applicable	On Request	Standard / Customized
RBP CP 290	10MM	As Applicable	On Request	Standard / Customized
RBP CP 291	10MM	As Applicable	On Request	Standard / Customized



ROYAL
Brass Products
Exquisite Craftsmanship

BRASS COMPRESSION & PIPE FITTINGS

World-Class Brass Components

20 Olive Male Connector Assembl



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 292	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 293	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 294	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 295	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 296	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 297	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 298	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 299	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 300	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 301	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 302	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 303	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 304	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 305	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 306	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 307	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 308	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 309	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 310	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 311	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 312	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 313	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 314	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 315	1"	As Applicable	On Request	Standard / Customized
RBP CP 316	1"	As Applicable	On Request	Standard / Customized
RBP CP 317	1"	As Applicable	On Request	Standard / Customized
RBP CP 318	4MM	As Applicable	On Request	Standard / Customized
RBP CP 319	8MM	As Applicable	On Request	Standard / Customized
RBP CP 320	8MM	As Applicable	On Request	Standard / Customized
RBP CP 321	10MM	As Applicable	On Request	Standard / Customized
RBP CP 322	10MM	As Applicable	On Request	Standard / Customized

ROYAL
Brass Products
Exquisite Craftsmanship

Adaptor Male x Female



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 323	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 324	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 325	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 326	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 327	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 328	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 329	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 330	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 331	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 332	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 333	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 334	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 335	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 336	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 337	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 338	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 339	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 340	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 341	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 342	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 343	5/8"	As Applicable	On Request	Standard / Customized
RBP CP 344	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 345	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 346	3/4"	As Applicable	On Request	tandard / Customized
RBP CP 347	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 348	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 349	1"	As Applicable	On Request	Standard / Customized
RBP CP 350	1"	As Applicable	On Request	Standard / Customized
RBP CP 351	1"	As Applicable	On Request	Standard / Customized
RBP CP 352	8MM	As Applicable	On Request	Standard / Customized
RBP CP 353	10MM	As Applicable	On Request	Standard / Customized

22 Reducing Hex Nipple



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 354	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 355	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 356	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 357	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 358	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 359	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 360	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 361	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 362	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 363	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 364	1"	As Applicable	On Request	Standard / Customized
RBP CP 365	1"	As Applicable	On Request	Standard / Customized
RBP CP 366	1"	As Applicable	On Request	Standard / Customized
RBP CP 367	1 1/4"	As Applicable	On Request	Standard / Customized
RBP CP 368	1 1/2"	As Applicable	On Request	Standard / Customized

23 Hex Nipple



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 369	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 370	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 371	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 372	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 373	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 374	1"	As Applicable	On Request	Standard / Customized
RBP CP 375	1 1/4"	As Applicable	On Request	Standard / Customized
RBP CP 376	1 1/2"	As Applicable	On Request	Standard / Customized
RBP CP 377	2"	As Applicable	On Request	Standard / Customized
RBP CP 378	2 1/2"	As Applicable	On Request	Standard / Customized
RBP CP 379	3"	As Applicable	On Request	Standard / Customized

24 Hex Nipple



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 380	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 381	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 382	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 383	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 384	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 385	1"	As Applicable	On Request	Standard / Customized
RBP CP 386	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 387	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 388	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 389	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 390	1/2"	As Applicable	On Request	Standard / Customized

Adaptor Male x Female 25

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 391	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 392	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 393	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 394	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 395	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 396	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 397	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 398	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 399	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 400	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 401	1"	As Applicable	On Request	Standard / Customized
RBP CP 402	1"	As Applicable	On Request	Standard / Customized
RBP CP 403	1"	As Applicable	On Request	Standard / Customized
RBP CP 404	1"	As Applicable	On Request	Standard / Customized
RBP CP 405	1 1/4"	As Applicable	On Request	Standard / Customized
RBP CP 406	1 1/4"	As Applicable	On Request	Standard / Customized
RBP CP 407	1 1/4"	As Applicable	On Request	Standard / Customized
RBP CP 408	1 1/2"	As Applicable	On Request	Standard / Customized
RBP CP 409	1 1/2"	As Applicable	On Request	Standard / Customized
RBP CP 410	1 1/2"	As Applicable	On Request	Standard / Customized
RBP CP 411	1 1/2"	As Applicable	On Request	Standard / Customized
RBP CP 412	2"	As Applicable	On Request	Standard / Customized
RBP CP 413	2"	As Applicable	On Request	Standard / Customized
RBP CP 414	2"	As Applicable	On Request	tandard / Customized
RBP CP 415	2 1/2"	As Applicable	On Request	Standard / Customized
RBP CP 416	2 1/2"	As Applicable	On Request	Standard / Customized
RBP CP 417	2 1/2"	As Applicable	On Request	Standard / Customized
RBP CP 418	2 1/2"	As Applicable	On Request	Standard / Customized
RBP CP 419	3"	As Applicable	On Request	Standard / Customized
RBP CP 420	3"	As Applicable	On Request	Standard / Customized
RBP CP 421	3"	As Applicable	On Request	Standard / Customized



Check Nut 26

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 422	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 423	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 424	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 425	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 426	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 427	1"	As Applicable	On Request	Standard / Customized



27 Hex Socket



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 428	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 429	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 430	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 431	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 432	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 433	1"	As Applicable	On Request	Standard / Customized
RBP CP 434	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 435	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 436	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 437	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 438	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 439	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 440	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 441	1"	As Applicable	On Request	Standard / Customized

28 Brass Olive Nut



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 442	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 443	3/16"	As Applicable	On Request	Standard / Customized
RBP CP 444	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 445	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 446	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 447	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 448	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 449	5/8"	As Applicable	On Request	Standard / Customized
RBP CP 450	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 451	1"	As Applicable	On Request	Standard / Customized
RBP CP 452	4MM	As Applicable	On Request	Standard / Customized
RBP CP 453	5MM	As Applicable	On Request	Standard / Customized
RBP CP 454	6MM	As Applicable	On Request	Standard / Customized
RBP CP 455	8MM	As Applicable	On Request	Standard / Customized
RBP CP 456	10MM	As Applicable	On Request	Standard / Customized
RBP CP 457	12MM	As Applicable	On Request	Standard / Customized
RBP CP 458	15MM	As Applicable	On Request	Standard / Customized
RBP CP 459	16MM	As Applicable	On Request	Standard / Customized
RBP CP 460	20MM	As Applicable	On Request	Standard / Customized
RBP CP 461	25MM"	As Applicable	On Request	Standard / Customized

Adaptor Male x Female 29

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 462	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 463	3/16"	As Applicable	On Request	Standard / Customized
RBP CP 464	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 465	5/16"	As Applicable	On Request	Standard / Customized
RBP CP 466	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 467	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 468	5/8"	As Applicable	On Request	Standard / Customized
RBP CP 469	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 470	1"	As Applicable	On Request	Standard / Customized
RBP CP 471	4MM	As Applicable	On Request	Standard / Customized
RBP CP 472	5MM	As Applicable	On Request	Standard / Customized
RBP CP 473	6MM	As Applicable	On Request	Standard / Customized
RBP CP 474	8MM	As Applicable	On Request	Standard / Customized
RBP CP 475	10MM	As Applicable	On Request	Standard / Customized
RBP CP 476	12MM	As Applicable	On Request	Standard / Customized
RBP CP 477	15MM	As Applicable	On Request	Standard / Customized
RBP CP 478	16MM	As Applicable	On Request	Standard / Customized
RBP CP 479	18MM	As Applicable	On Request	Standard / Customized
RBP CP 480	20MM	As Applicable	On Request	Standard / Customized
RBP CP 481	22MM	As Applicable	On Request	Standard / Customized
RBP CP 482	25MM	As Applicable	On Request	Standard / Customized



Hex Dead Nut 30

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 483	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 484	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 485	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 486	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 487	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 488	1"	As Applicable	On Request	Standard / Customized



Brass Fountain Nozzel 31

Part No.	Size	Thread Standard	Rate	Packing
RBP CP 483	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 484	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 485	3/8"	As Applicable	On Request	Standard / Customized



32 Brass Insert



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 386	2MM	As Applicable	On Request	Standard / Customized
RBP CP 387	2.5MM	As Applicable	On Request	Standard / Customized
RBP CP 388	3MM	As Applicable	On Request	Standard / Customized
RBP CP 389	4MM	As Applicable	On Request	Standard / Customized
RBP CP 390	5MM	As Applicable	On Request	Standard / Customized
RBP CP 391	6MM	As Applicable	On Request	Standard / Customized
RBP CP 392	7.5MM	As Applicable	On Request	Standard / Customized
RBP CP 393	8MM	As Applicable	On Request	Standard / Customized
RBP CP 394	9.5MM	As Applicable	On Request	Standard / Customized
RBP CP 395	10MM	As Applicable	On Request	Standard / Customized
RBP CP 396	12MM	As Applicable	On Request	Standard / Customized

33 Cooling Tower Nozzle



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 397	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 398	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 399	1/2"	As Applicable	On Request	Standard / Customized
Female				
RBP CP 400	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 401	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 402	1/2"	As Applicable	On Request	Standard / Customized

34 Hex Head Plug



Part No.	Size	Thread Standard	Rate	Packing
RBP CP 403	1/8"	As Applicable	On Request	Standard / Customized
RBP CP 404	1/4"	As Applicable	On Request	Standard / Customized
RBP CP 405	3/8"	As Applicable	On Request	Standard / Customized
RBP CP 406	1/2"	As Applicable	On Request	Standard / Customized
RBP CP 407	3/4"	As Applicable	On Request	Standard / Customized
RBP CP 408	1"	As Applicable	On Request	Standard / Customized